

Originator:	
Date Created:	21-Mar-2019
Business Unit:	Specialist Technical Solutions
Business Group:	Automation & Control
Project/Office:	Houston Process
Service Line:	Process North America
Site/Office Name:	Houston Process - ExxonMobil
Home or Work Related Observation?:	Work
Exact Location or Project of Act/Condition/Safe Behaviour:	At height (160') in Vent/Gas Recovery unit
Observation Type:	Safe Behaviour
Observer Name:	Cliff McDonald
Observer Email Address:	Clifford.McDonald@woodplc.com
Stakeholder:	Contractor
Observation Date:	18-Mar-2019
Observation Time:	10:00
Observation Close Date:	21-Mar-2019
Observation Category:	Contractor Site safety Procedure implementation
Name of Individual or Team:	Zachry
Details of safety observation:	While working at height in the Purification area, I was approached by a Zachry Foreman and asked about the inspection color on my fall protection. He was under the impression that Wood used the Zachry color code for quarterly inspections and I had to make a call to clear the matter up to his satisfaction. After informing him that Wood used the Exxon regular plant's color code scheme, he was satisfied and apologized for interrupting my work. I thanked him for his alertness and safe behavior and assured him that I was not offended by his action in any manner.
Immediate action taken:	Immediately stopped work to confirm that my fall protection was properly inspected. Commended the contractor for stopping me to ask about it. Discussed the event at the following morning's tool box safety meeting.
Supporting Information:	
Feedback required?:	No